

K

RADSPORTKRUG

BIS ZU
-30%

AKTIONS- KATALOG 2025/26

NUR SO LANGE DER VORRAT REICHT!

Mit Bike und Seele





SPECIALIZED

SPECIALIZED

E-Bikes



SPECIALIZED TURBO COMO SL SL 5.0 BRSH/TRNSP 2022

Schaltwerk: 8 Gang Nabenschaltung mit Riemenantrieb
Bremsanlage: TRP Flow Set Control, metal-ceramic pads,
Zubehör: Beleuchtung, Gepäckträger vorne, Korb, Schutzbleche und
Seitenständer



~~2900.-~~
2290.-



SPECIALIZED TURBO VADO SL 5.0 STEP-THROUGH EQ 2022

Schaltwerk: SRAM NX 12-speed
Bremsanlage: Hydraulic disc, 160mm
Federgabel: Carbon Starrgabel
Motor: Specialized SL 1.1, custom lightweight motor
Akku: Specialized SL1-320, fully integrated, 320Wh



~~4300.-~~
2900.-



SPECIALIZED TURBO VADO 4.0 STEP-THROUGH

Bremsanlage: SRAM Level, 2-piston caliper, hydraulic disc, 180mm
Federgabel: SR Suntour MobieA32, 80mm travel, lockout, fender-mounts,
Motor: Specialized 2.0, 70Nm torque, custom tuned motor, 250W nominal
Akku: Specialized U2-710, alloy casing, state of charge display, 710Wh



~~4100.-~~
3300.-



SPECIALIZED TURBO TERO 3.0

Schaltwerk: Shimano Alivio, SGS, 9-speed

Bremsanlage: Shimano BR-MT200, hydraulic disc, 180mm

Federgabel: SR Suntour XCM32, 110mm travel, lockout

Motor: Specialized 2.0E, 50Nm torque, custom tuned motor, 250W nominal

Akku: Specialized U2-530, alloy casing, state of charge display, 530Wh



SPECIALIZED TURBO TERO 3.0 STEP-THROUGH

Schaltwerk: Shimano Alivio, SGS, 9-speed

Bremsanlage: Shimano BR-MT200, hydraulic disc, 180mm

Federgabel: SR Suntour XCM32, 110mm travel, lockout

Motor: Specialized 2.0E, 50Nm torque, custom tuned motor, 250W nominal

Akku: Specialized U2-530, alloy casing, state of charge display, 530Wh



SPECIALIZED TURBO CREO SL COMP CARBON

Schaltwerk: SRAM X1 Eagle AXS

Bremsanlage: SRAM Apex eTAP AXS, hydraulic disc

Federgabel: Future Shock 3.2 w/ Smooth Boot, 12x100mm thru-axle, flat-mount disc

Motor: New Specialized 1.2 SL Custom Lightweight Motor

Akku: Specialized SL1-320, fully integrated, 320Wh





SPECIALIZED TURBO CREO SL E5 COMP

Schaltwerk: SRAM Apex Eagle 12-Speed

Bremsanlage: SRAM Apex, Hydraulic disc

Federgabel: Future Shock 3.1 w/ Smooth Boot, 12x100mm thru-axle, flat-mount disc

Motor: New Specialized 1.2 SL Custom Lightweight Motor

Akku: Specialized SL1-320, fully integrated, 320Wh

verfügbare Rahmengröße in TPE/BRCH: 58

in METDKNVY/HRVGLDMET; 54



~~4600.-~~
3900.-



SPECIALIZED TURBO LEVO 3 COMP CARBON

Schaltwerk: Sram X01 Eagle, 12-speed

Bremsanlage: SRAM Maven Bronze, 220mm rotor, metallic pads

Federgabel: Fox 36 Rhythm, 29", S2-S6: 160mm S1: 150mm, Grip damper

Dämpfer: FOX FLOAT X Performance, LSR, 2-position lever, 55x210mm

Motor: Specialized 2.2 Custom Rx Trail Tuned Motor 90Nm

Akku: Specialized M3-700, Integrated battery, 700Wh

verfügbare Rahmengröße: S5, S3



~~7700.-~~
5900.-



SPECIALIZED TURBO LEVO 3 COMP ALLOY

Schaltwerk: Sram X01 Eagle, 12-speed

Bremsanlage: SRAM Maven Bronze, 220mm rotor, metallic pads

Federgabel: Fox 36 Rhythm, 29", S2-S6: 160mm S1: 150mm, Grip damper

Dämpfer: FOX FLOAT X Performance, LSR, 2-position lever, 55x210mm

Motor: Specialized 2.1 Custom Rx Trail Tuned Motor 90Nm

Akku: Specialized M3-700, Integrated battery, 700Wh

verfügbare Rahmengröße in SGEGRN/CLGRY/BLK: S3 S4

verfügbare Rahmengröße in MNSHDW/HRVGLDMET: S4 S3

verfügbare Rahmengröße in DKMOS/HRVGLD/LTD: S3



~~6600.-~~
5300.-



SPECIALIZED TURBO LEVO 3 ALLOY

Schaltwerk: SRAM GX Eagle, 12-speed
 Bremsanlage: SRAM DB8, 220mm rotor
 Federgabel: Marzocchi Bomber Z1, 29", S2-S6: 160mm, S1: 150mm, sweep adjust compression
 Dämpfer: Marzocchi Bomber inline, S2-6: 210x55mm, S1: 210x52.5, low speed
 Motor: Specialized 2.2 Custom Rx Trail Tuned Motor 90Nm
 Akku: Specialized M3-700, Integrated battery, 700Wh

verfügbare Rahmengröße in DKMOS/DUNEWHT: S4 S5
 verfügbare Rahmengröße in BLK/LTSIL: S3 S4 S5



~~5500.-~~
4500.-



SPECIALIZED TURBO LEVO LTD II

Schaltwerk: SRAM GX Eagle AXS
 Bremsanlage: SRAM Code RSC, 4-piston caliper, hydraulic disc, 220mm
 Federgabel: Fox 36 Rhythm, 29", 44mm offset, Grip damper, S1: 150mm, S2-S6: 160mm travel
 Dämpfer: FOX FLOAT X Performance, LSR, 2-position lever, 55x210mm
 Motor: Specialized 2.1 Custom Rx Trail Tuned Motor
 Akku: Specialized M3-700, Integrated battery, 700Wh

verfügbare Rahmengröße in BLK/LTSIL: S3



~~6900.-~~
5800.-



SPECIALIZED TURBO LEVO LEVO LTD III

Schaltwerk: SRAM XX1 Eagle AXS
 Bremsanlage: SRAM Code RSC, 4-piston caliper, hydraulic disc, 220mm
 Federgabel: Fox 36 Rhythm, 29", 44mm offset, Grip damper, S1: 150mm, S2-S6: 160mm travel
 Dämpfer: FOX FLOAT X Performance, LSR, 2-position lever, 55x210mm
 Motor: Specialized 2.1 Custom Rx Trail Tuned Motor
 Akku: Specialized M3-700, Integrated battery, 700Wh

verfügbare Rahmengröße in CLY/SMK: S3



~~8200.-~~
6800.-



SPECIALIZED TURBO LEVO SL 2 PRO CARBON

Schaltwerk: SRAM X0 Eagle Transmission

Bremsanlage: SRAM Code Silver Stealth, 4-piston caliper, hydraulic disc, 200mm HS2 Rotor

Federgabel: Fox 36 Factory series, 29", S1: 150mm, S2-6:160mm

Dämpfer: Fox Float X Factory, 210.55mm

Motor: Specialized 1.2 SL Custom Rx Trail Tuned Motor

Akku: Specialized SL1-320, fully integrated, 320Wh

verfügbare Rahmengröße in Satin Spruce / Spruce / Smoke: S3



~~11500.-~~
8500.-



SPECIALIZED TURBO LEVO SL 2 COMP CARBON

Schaltwerk: SRAM GX Eagle, 12-speed

Bremsanlage: SRAM Code RS, 4-piston caliper, hydraulic disc, 200mm

Federgabel: Fox 36 Rhythm, 29", 44mm offset, Grip damper, S1:

150mm, S2-S6: 160mm travel

Dämpfer: Fox Float X Performance series, 210x55mm

Motor: Specialized 1.2 SL Custom Rx Trail Tuned Motor

Akku: Specialized SL1-320, fully integrated, 320Wh

verfügbare Rahmengröße in DOP/SND/SILDST: S3

verfügbare Rahmengröße in SLPHR/OBSD: S3



~~9700.-~~
6700.-



SPECIALIZED TURBO LEVO SL 2 COMP ALLOY

Schaltwerk: SRAM NX Eagle, 12-speed

Bremsanlage: SRAM Code R, 4-piston caliper, hydraulic disc, 200mm

Federgabel: Fox 36 Rhythm, 29", S1: 150mm, S2-S6: 160mm

Dämpfer: Fox Float Performance Series, 210x50mm

Motor: Specialized 1.2 SL Custom Rx Trail Tuned Motor 50Nm

Akku: Specialized SL1-320, fully integrated, 320Wh

verfügbare Rahmengröße in CHR/SILDST/BLK: S1

verfügbare Rahmengröße in PNGRN/FSTGRN: S3



~~6600.-~~
4190.-



SPECIALIZED TURBO LEVO SL COMP

Schaltwerk: SRAM NX Eagle, 12-speed

Bremsanlage: SRAM Guide RE, 4-piston caliper, hydraulic disc, 200mm

Federgabel: Fox Float 34 Rhythm, Grip damper, 160mm, Sweep-Adj, 51mm rake,

Dämpfer: FOX Float DPS Performance, 3-position adjustment, 52.5x210mm


Motor: Specialized SL 1.1, custom lightweight motor

Akku: Specialized SL1-320, fully integrated, 320Wh

verfügbare Rahmengröße in RKTRED/BLK: L, S



~~5999.-~~
3600.-



SPECIALIZED

SPECIALIZED

MTB



SPECIALIZED SJ EVO EXPERT

Schaltwerk: Sram X01 Eagle, 12-speed

Bremsanlage: SRAM Code RS, 4-piston caliper, hydraulic disc, 200mm

Federgabel: FOX FLOAT 36 Performance Elite,

GRIP2 damper, 15x110mm, 44mm offset 160mm of travel,

Dämpfer: FOX FLOAT X Performance Elite, Rx Trail Tune,

EVOL Air sleeve, 2-position lever w/ LSC adjustment 160mm of travel

Laufwheelsatz: Roval Traverse 29 Alloy, 30mm inner width,
hand-built, 2Bliss Ready

verfügbare Rahmengröße in CARB/OLVGRN/BLK: S2



SPECIALIZED SJ 15 COMP ALLOY

Schaltwerk: Shimano SLX, M7100, SGS, 12-speed

Bremsanlage: TRP Trail EVO, 4-piston caliper, hydraulic disc, 203mm

Federgabel: FOX FLOAT 36 Rhythm, GRIP damper, two position Sweep
adjustment, 15x110mm QR axle, 44mm offset, S2-S6:150mm of travel,

Dämpfer: FOX FLOAT Performance with Specialized GENIE Shock
Tech, Ride Dynamics Trail Tune, 2-position lever w/ LSR adjustment
S2-S6:210x55mm

Laufwheelsatz: Specialized, hookless alloy, 30mm inner width,
tubeless ready, Front: 29, Rear: S1-S2: 27.5, S3- S6: 29

verfügbare Rahmengröße in SMK/CLGRY: S4



SPECIALIZED SJ EVO COMP ALLOY

Schaltwerk: SRAM NX Eagle, 12-speed

Bremsanlage: SRAM Code R, 4-piston caliper, hydraulic disc, 200mm

Federgabel: FOX FLOAT 36 Rhythm, GRIP damper, two position
Sweep adjustment, 15x110mm axle, 44mm offset 160mm of travel,

Dämpfer: FOX FLOAT X Performance, Rx Trail Tune, EVOL Air sleeve,
2-position lever w/ LSR adjustment 210x55mm

Laufwheelsatz: Specialized 29, hookless alloy, 30mm inner width,
tubeless ready

verfügbare Rahmengröße in SMK/BLK: S3





SPECIALIZED SJ EXPERT

Schaltwerk: Sram X01 Eagle, 12-speed

Bremsanlage: SRAM G2 RSC, 4-piston caliper, hydraulic disc, 200mm

Federgabel: FOX FLOAT 34 Performance Elite, GRIP2 damper, 15x110mm, 44mm offset, 140mm of travel

Dämpfer: FOX FLOAT DPS Performance Elite, Rx Trail Tune, EVOL Air sleeve, 3-position adjustment w/ Open Mode Adjustment, 190x45mm

Laufbandsatz: Roval Traverse 29 Alloy, 30mm inner width, hand-built, 2Bliss Ready

verfügbare Rahmengröße in WHTMTN/GUN: S3



~~5500.-~~
3800.-



SPECIALIZED EPIC 8 COMP EVO

Schaltwerk: SRAM GX Eagle, 12-speed

Bremsanlage: SRAM Code Bronze Stealth, 4-piston caliper, hydraulic disc, 180/200mm rotor

Federgabel: Fox 34 Performance, Grip Damper, Compression adjust, 130mm travel, 44mm offset, 15x110mm,

Dämpfer: Fox Float Performance, Evol LV, Ride Dynamics Tuned, 2-position compression adjust, 190x45mm

Laufbandsatz: Specialized Alloy 29, 27mm internal width, tubeless

verfügbare Rahmengröße in: M



~~5200.-~~
4099.-



SPECIALIZED EPIC EXPERT

Schaltwerk: SRAM GX Eagle AXS, w/ battery cover

Bremsanlage: SRAM Level TL, 2-piston caliper, hydraulic disc

Federgabel: RockShox SID SL BRAIN, Bottom-Adjust Brain damper, Debon Air, 15x110mm, 44mm offset, 100mm Travel

Dämpfer: RockShox-Specialized BRAIN, Rx XC Tune, 5 Position Platform Adjust, Rebound Adjust, Integrated Extension, 265x52.5mm

Laufbandsatz: Roval Control, Carbon offset design, 29mm internal width, 4mm hook width, Tubeless ready, 28h

verfügbare Rahmengröße in MORNST/METDKNVY: M



~~6900.-~~
5400.-



SPECIALIZED STATUS 160

Schaltwerk: SRAM NX Eagle, 12-speed

Bremsanlage: SRAM Code R, 4-piston caliper, hydraulic disc, 200mm

Federgabel: FOX FLOAT 36 Rhythm, GRIP damper, two position Sweep adjustment, 15x110mm QR axle, 44mm offset, 160mm of travel,

Dämpfer: FOX FLOAT DPX2 Performance, Rx Trail Tune, EVOL Air sleeve, 3-position adjustment, 230x60mm

Laufradsatz: Specialized 29, hookless alloy, 30mm inner width, tubeless ready

verfügbare Rahmengröße in CHAR/MRN: S3 S4

verfügbare Rahmengröße in SMK/ARCTBLU: S3 S4 S5



SPECIALIZED CHISEL HT

Schaltwerk: SRAM SX Eagle, 12-speed

Bremsanlage: SRAM Level T hydraulic disc, 2-Piston Caliper

Federgabel: RockShox Judy Silver, TurnKey damper, Solo Air, 42mm offset, 15x110mm thru-axle, 100mm of travel (XS - 80mm travel),

Laufradsatz: Specialized Alloy, hookless, Tubeless ready, 25mm inner width

verfügbare Rahmengröße in MRN/ICEPPYA: L XS

verfügbare Rahmengröße in SMK/TARBLK: M



SPECIALIZED SIRRUS 2.0 EQ STEP THROUGH

Schaltwerk: Shimano Acera, 8-speed

Bremsanlage: Promax F1, hydraulic disc, flat-mount, 160mm

verfügbare Rahmengröße in FSTGRN/BLKREFL: S





SPECIALIZED CHISEL HT COMP

Schaltwerk: SRAM NX Eagle, 12-speed

Bremsanlage: SRAM Level T, Post Mount, 160mm Centerline Rotor

Federgabel: RockShox Judy Gold, Motion Control damper, Solo Air, 42mm offset, 15x110mm thru-axle, 100mm of travel

Laufwheelsatz: Specialized Alloy, hookless, Tubeless ready, 25mm inner width

verfügbare Rahmengröße in REDTNT/BRSH/WHT: M



SPECIALIZED ROCKHOPPER COMP 29

Schaltwerk: microSHIFT Advent, 1x9 w/ clutch

Bremsanlage: SRAM Level, 2-piston caliper, hydraulic disc, 180mm

Federgabel: SR Suntour XCM 29, 30mm Stanchions, Rx Tune, coil spring, custom Multi-Circuit damping w/lockout, QR, 90/100mm travel (size-specific), 46mm offset

Laufwheelsatz: Stout Alloy, hookless, double-wall, 25mm inner width

verfügbare Rahmengröße in REDWD/SMK: L





SPECIALIZED

SPECIALIZED

ROAD



SPECIALIZED TARMAC SL8 EXPERT D12

Rahmen: Tarmac SL8 FACT 10r Carbon
 Schaltwerk: Shimano Ultegra Di2 R8150, 12-speed
 Kettenblätter: 52/36T
 Kassette: Shimano Ultegra, 12-speed, 11-30t
 Bremsanlage: Shimano Ultegra Di2 R8170, hydraulic disc
 Laufradsatz: Roval C38, 21mm internal width carbon rim
 Sattel: Body Geometry Power Expert
 Gewicht: 7,3kg

verfügbare Rahmengrößen in WHT/METBLK: 44, 54
 verfügbare Rahmengrößen in DPLAKEMET/GRNPRL: 54
 verfügbare Rahmengrößen in CHAM/BLKPRL: 52



~~7000.-~~
6300.-



SPECIALIZED TARMAC SL8 PRO D12

Rahmen: Tarmac SL8 FACT 10r Carbon
 Schaltwerk: Shimano Ultegra Di2 R8150, 12-speed
 Kettenblätter: 52/36T
 Kassette: Shimano Ultegra, 12-speed, 11-30t
 Kurbelgarnitur: Shimano Ultegra R8100 with 4iiii power meter
 Bremsanlage: Shimano Ultegra Di2 R8170, hydraulic disc
 Laufradsatz: Roval Rapide CL II
 Sattel: Power Pro with Mirror
 Gewicht: 7,1kg

verfügbare Rahmengrößen in CARB/METWHTSIL: 54, 52



~~8999.-~~
7999.-



SPECIALIZED TARMAC SL8 SW ETAP

Rahmen: S-Works Tarmac SL8 FACT 12r Carbon
 Schaltwerk: NEW SRAM RED AXS, 12-speed
 Kettenblätter: 48/35T
 Kassette: NEW SRAM RED XG-1290, 12-speed, 10-33T
 Kurbelgarnitur: NEW SRAM RED AXS Power Meter
 Bremsanlage: NEW SRAM RED AXS, hydraulic disc
 Laufradsatz: Roval Rapide CLX II
 Lenker: Roval Rapide Cockpit, Integrated Bar/Stem
 Sattel: S-Works Power with Mirror
 Gewicht: 6,6kg

verfügbare Rahmengrößen in CYPRMET/MGNGLDCMLN/METBLK: 52



~~13499.-~~
11500.-



SPECIALIZED TARMAC SL7 COMP

Rahmen: Tarmac SL7 FACT 9r Carbon
 Schaltwerk: Shimano 105 Di2
 Kettenblätter: 52/36T
 Kassette: Shimano 105, 12-speed, 11-34T
 Kurbelgarnitur: Shimano 105, 12-speed
 Bremsanlage: Shimano 105, Hydraulic disc
 Laufradsatz: DT R470 Disc
 Lenker: Specialized Shallow Drop, 6061, 70x125mm, 31.8mm clamp
 Sattel: Body Geometry Power Sport, steel rails
 Gewicht: 8,10kg



~~4400.-~~
3750.-

verfügbare Rahmengrößen in METSPR/MNSHDWMET: 54



SPECIALIZED CRUX COMP CARB/SMK

Rahmen: Crux FACT 10r Carbon
 Schaltwerk: Shimano GRX RX822-GS, 12-speed
 Kettenblätter: 40T
 Kassette: Shimano XT, 12-speed, 10-45T
 Kurbelgarnitur: Shimano GRX RX820
 Bremsanlage: Shimano GRX RX820
 Laufradsatz: DT Swiss G540 rim
 Lenker: Specialized Adventure Gear, 118.9mm drop x 70mm reach x 12° flare
 Sattel: Body Geometry Power Sport, steel rails



~~4000.-~~
3200.-

verfügbare Rahmengrößen in CARB/SMK: 56



SPECIALIZED TARMAC SL7 SPORT

Rahmen: Tarmac SL7 FACT 9r Carbon
 Schaltwerk: Shimano 105, 12 speed Mechanical
 Kettenblätter: 52/36T
 Kassette: Shimano 105, 12-speed, 11-34T
 Kurbelgarnitur: Shimano 105, 12-speed
 Bremsanlage: Shimano 105, Hydraulic disc
 Laufradsatz: DT R470 Disc
 Lenker: Specialized Shallow Drop, 6061, 70x125mm, 31.8mm clamp
 Sattel: Body Geometry Power Sport, steel rails



~~3400.-~~
2900.-

verfügbare Rahmengrößen in DUNEWHT/PRL: 58



SPECIALIZED TARMAC SL8 SW FRAMESET

Rahmen: S-Works Tarmac SL8 FACT 12r Carbon

Gabel: S-Works FACT 12r Carbon, 12x100mm thru-axle, flat-mount disc

Sattelstütze: S-Works Tarmac SL8 Carbon seat post, FACT Carbon, 15mm offset

verfügbare Rahmengrößen in GCLMET/CMLNREDGLD/WHT: 56 54

verfügbare Rahmengrößen in CARB/CMLNREDGLD/METWHTSIL: 54

verfügbare Rahmengrößen in RTP CARB/CMLNSILGRN: 58

verfügbare Rahmengrößen in CYPRMET/MGNGLDCMLN/METBLK: 56

verfügbare Rahmengrößen in REDBLKCMLN/DPLAKEMET/METOBSD: 52

52

verfügbare Rahmengrößen in CMLNREDGLD/SILDST/METOBSD: 56



~~5499.-~~
4750.-



SPECIALIZED TARMAC SL8 SW CUSTOM AUFBAU, VARIANTE 1

Rahmen: S-Works Tarmac SL8 FACT 12r Carbon

Schalt/Bremskomponente: Shimano Ultegra Di2 ODER Sram

Force AXS

Laufwheelsatz: Scope R4.A

Verfügbare Rahmengrößen: 54, 58, 56, 52



8999.-



SPECIALIZED TARMAC SL8 SW CUSTOM AUFBAU, VARIANTE 2

Rahmen: S-Works Tarmac SL8 FACT 12r Carbon

Schalt/Bremskomponente: Shimano Ultegra Di2 ODER Sram

Force AXS

Laufwheelsatz: Roval CLX II

Verfügbare Rahmengrößen: 54, 58, 56, 52



9999.-



CUBE

CUBE

E-Bikes



CUBE STEREO HYBRID

120 PRO 625

Schaltwerk: Shimano Deore RD-M6100-SGS, ShadowPlus, 12-Speed
 Bremsanlage: Shimano BR-MT420, Hydr. Disc Brake (203/203)
 Federgabel: RockShox Recon Silver RL Air, Tapered, 15x110mm, eMTB Approved, 130mm, Lockout
 Dämpfer: RockShox Deluxe Select, 185x55mm
 Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System
 Akku: Bosch PowerTube 625

verfügbare Rahmengröße in sagemetallic´n´black: L S
 verfügbare Rahmengröße in flashwhite´n´black: L
 verfügbare Rahmengröße in flashgrey´n´orange: XL



~~3899.-~~
3300.-



CUBE STEREO HYBRID

120 PRO 750

Schaltwerk: Shimano Deore RD-M6100-SGS, ShadowPlus, 12-Speed
 Bremsanlage: Shimano BR-MT420, Hydr. Disc Brake (203/203)
 Federgabel: RockShox Recon Silver RL Air, Tapered, 15x110mm, eMTB Approved, 130mm, Lockout
 Dämpfer: RockShox Deluxe Select, 185x55mm
 Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System
 Akku: Bosch PowerTube 750

verfügbare Rahmengröße in sagemetallic´n´black: S
 verfügbare Rahmengröße in flashwhite´n´black: XL
 verfügbare Rahmengröße in flashgrey´n´orange: S



~~4099.-~~
3400.-



CUBE STEREO HYBRID

120 RACE 750

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed
 Bremsanlage: Magura MT Thirty, Front 4-Piston/Rear 4-Piston, Hydr. Disc Brake
 Federgabel: Fox 34 Float AWL, 2-Position Sweep-Adjust RAIL Damper, Tapered, 15x110mm, E-Bike Optimized, 120mm
 Dämpfer: Fox Float DPS EVOL, 185x55mm (27.5: 165x45mm), Open/Medium/Firm Mode, Trunnion Mount
 Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System
 Akku: Bosch PowerTube 750

verfügbare Rahmengröße in polarsilver´n´black: S
 verfügbare Rahmengröße in petrolblue´n´chrome: XL S
 verfügbare Rahmengröße in sparkorange´n´black: S



~~4499.-~~
3600.-



CUBE STEREO HYBRID

CUBE 140 HPC PRO 625

Schaltwerk: Shimano Deore RD-M5100-SGS, 11-Speed

Bremsanlage: Magura MT Thirty, Front 4-Piston/Rear 4-Piston, Hydr. Disc Brake (203/203)

Federgabel: RockShox Recon Silver RL Air, Tapered, 15x110mm, eMTB Approved, 150mm, Lockout

Dämpfer: RockShox Deluxe Select, 205x60mm (27.5: 185x55mm), Rebound Adjust, Trunion Mount

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 625

verfügbare Rahmengröße in vivid'n'sun : S



~~4299.-~~
3600.-



CUBE STEREO HYBRID

CUBE 140 HPC PRO 750

Schaltwerk: Shimano Deore RD-M5100-SGS, 11-Speed

Bremsanlage: Magura MT Thirty, Front 4-Piston/Rear 4-Piston, Hydr. Disc Brake (203/203)

Federgabel: RockShox Recon Silver RL Air, Tapered, 15x110mm, eMTB Approved, 150mm, Lockout

Dämpfer: RockShox Deluxe Select, 205x60mm (27.5: 185x55mm), Rebound Adjust, Trunion Mount

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 750

verfügbare Rahmengröße in frostwhite'n'grey: S



~~4499.-~~
3800.-



CUBE STEREO HYBRID

CUBE 140 HPC RACE 62

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Sram DB8, Hydr. Disc Brake (203/203)

Federgabel: RockShox 35 Silver TK Air, Tapered, 15x110mm, eMTB Approved, 150mm,

Dämpfer: RockShox Deluxe Select+, 205x60mm (27.5: 185x55mm), Rebound Adjust, Trunion Mount

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 625

verfügbare Rahmengröße in dazzle'n'orange: L



~~4599.-~~
3600.-



CUBE STEREO HYBRID

CUBE 140 HPC RACE 750

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Sram DB8, Hydr. Disc Brake (203/203)

Federgabel: RockShox 35 Silver TK Air, Tapered, 15x110mm, eMTB Approved, 150mm,

Dämpfer: RockShox Deluxe Select+, 205x60mm (27.5: 185x55mm), Rebound Adjust, Trunnion Mount

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 750

verfügbare Rahmengröße in liquidred'n'black: XL

verfügbare Rahmengröße in grey'n'chrome: XL



~~4599.-~~
3900.-



CUBE STEREO HYBRID

CUBE 140 HPC TM 750

Schaltwerk: Sram GX Eagle™, 12-Speed

Bremsanlage: Magura MT7, Hydr. Disc Brake (203/203)

Federgabel: Fox 36 Float Performance GRIP, 3-Position w/Micro Adjust, Tapered, 15x110mm, E-Bike Optimized, 150mm

Dämpfer: Fox Float X Performance, 205x60mm (27.5: 185x55mm), Trunnion Mount, Adjustable LSR w/ 2-Pos. Lever

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 750

verfügbare Rahmengröße in flashgrey'n'olive: S



~~5799.-~~
4799.-



CUBE STEREO HYBRID

CUBE 160 HPC TM 750

Schaltwerk: Sram GX Eagle™, 12-Speed

Bremsanlage: Magura MT7, Hydr. Disc Brake (203/203)

Federgabel: Fox 38 Float Performance GRIP, 3-Position w/ Micro Adjust, Tapered, 15x110mm, E-Bike Tune, 170mm

Dämpfer: Fox Float X Performance, 205x65mm, Trunnion Mount, Adjustable LSR w/ 2-Pos. Lever

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 750

verfügbare Rahmengröße in flashgrey'n'olive: XL



~~5899.-~~
4799.-



CUBE REACTION HYBRID

CUBE ONE 625

Schaltwerk: Shimano Deore RD-M4120-SGS, 10-Speed
 Bremsanlage: Shimano BR-MT200, Hydr. Disc Brake (180/180)
 Federgabel: SR Suntour NVX30 Coil, 100mm
 Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise
 (250Watt), Smart System
 Akku: Bosch PowerTube 625

verfügbare Rahmengröße in skyblue´n´white: L XXL XL
 verfügbare Rahmengröße in grey´n´black: XL L XXL



~~2849.-~~
2200.-



CUBE REACTION HYBRID

CUBE PRO 625

Schaltwerk: Shimano Deore RD-M5100-SGS, 11-Speed
 Bremsanlage: Shimano BR-MT200, Hydr. Disc Brake (180/180)
 Federgabel: X-Fusion MIG32 Air, Tapered, 15x110mm, 100mm, Lockout
 Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise
 (250Watt), Smart System
 Akku: Bosch PowerTube 625

verfügbare Rahmengröße in flashgrey´n´green: XL L
 verfügbare Rahmengröße in flashwhite´n´black: XL L



~~3049.-~~
2400.-



CUBE REACTION HYBRID

CUBE RACE 625

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed
 Bremsanlage: Shimano BR-MT420, Hydr. Disc Brake (203/203)
 Federgabel: RockShox Judy Silver TK Air, Tapered, 15x110mm, eMTB Approved,
 100mm, Lockout
 Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise
 (250Watt), Smart System
 Akku: Bosch PowerTube 625

verfügbare Rahmengröße in grey´n´metal: L



~~3249.-~~
2500.-



CUBE REACTION HYBRID

RACE 750

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Shimano BR-MT420, Hydr. Disc Brake (203/203)

Federgabel: RockShox Judy Silver TK Air, Tapered, 15x110mm, eMTB Approved, 120mm, Lockout (EE: 100mm)

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 750

verfügbare Rahmengröße in grey'n'metal: L XL XXL

verfügbare Rahmengröße in olive'n'green: L XL



~~3799.-~~
2800.-



CUBE REACTION HYBRID

750 EASY ENTRY

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Shimano BR-MT420, Hydr. Disc Brake (203/203)

Federgabel: RockShox Judy Silver TK Air, Tapered, 15x110mm, eMTB Approved, 120mm, Lockout (EE: 100mm)

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 750

verfügbare Rahmengröße in grey'n'metal: XL



~~3799.-~~
2800.-



CUBE NURIDE HYBRID

PERFORMANCE 625 ALLROAD EASY ENTRY

Schaltwerk: Shimano RD-M3100-SGS, 9-Speed

Bremsanlage: Shimano BR-MT200, Hydr. Disc Brake (180/180)

Federgabel: SR Suntour NVX30 Coil, 63mm

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 625

verfügbare Rahmengröße in metalblue'n'red: S

verfügbare Rahmengröße in graphite'n'black: S



~~2849.-~~
2549.-




CUBE NURIDE HYBRID PRO

750 ALLROAD EASY ENTRY

Schaltwerk: Shimano Deore RD-M5120-SGS, 10-Speed
 Bremsanlage: Shimano BR-MT200, Hydr. Disc Brake (180)
 Federgabel: SR Suntour NVX30 Coil, 100mm
 Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt),
 Smart System
 Akku: Bosch PowerTube 750

verfügbare Rahmengröße in Black'n'metal: 50cm 46cm



~~3349.-~~
2999.-



CUBE NURIDE HYBRID

SLX 625 ALLROAD

Schaltwerk: Shimano Deore RD-M6100-SGS, ShadowPlus, 12-Speed
 Bremsanlage: Shimano BR-MT420, Hydr. Disc Brake (203/203)
 Federgabel: RockShox Judy Silver TK Air, Tapered, 15x110mm, eMTB
 Approved, 100mm, Lockout
 Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise
 (250Watt), Smart System
 Akku: Bosch PowerTube 750

verfügbare Rahmengröße in grey'n'black: 58 cm



~~3699.-~~
3299.-



CUBE NURIDE HYBRID

SLX 750

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed
 Bremsanlage: Shimano XT BR-M8120/M8100, Hydr. Disc Brake (180/180)
 Federgabel: RockShox Recon Silver RL Air, Tapered, 15x110mm, 100mm, Lockout
 Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt),
 Smart System
 Akku: Bosch PowerTube 750

verfügbare Rahmengröße in polarsilver'n'black: S



~~4099.-~~
3499.-



CUBE AMS HYBRID ONE44

CUBE C:68X TM 400X 29

Schaltwerk: Sram GX Eagle AXS™ Transmission, 12-Speed, Electronic Shifting System

Bremsanlage: Magura MT7, Hydr. Disc Brake (203/180)

Federgabel: Fox 36 Float Performance GRIP, 3-Position w/ Micro Adjust, Tapered, 15x110mm, 140mm

Dämpfer: Fox Float X Performance, 210x55mm, Adjustable LSR w/ 2-Pos- Lever

Motor: Bosch Drive Unit Performance SX (55Nm) Cruise (250 Watt), Smart System

Akku: Bosch CompactTube 400

verfügbare Rahmengröße in Swampgrey'n`purplereflex: L



~~6499.-~~
5600.-



CUBE STEREO HYBRID ONE55

CUBE C:68XSLX 750

Schaltwerk: Sram GX Eagle™, 12-Speed

Bremsanlage: Magura MT7, Hydr. Disc Brake (203/203)

Federgabel: RockShox Lyrik Select+ Charger 2 RC DebonAir, Tapered, 15x110mm, eMTB Approved, 160mm

Dämpfer: RockShox Super Deluxe Select+ DebonAir, 230x60mm

Motor: Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 750

verfügbare Rahmengröße in liquidred'n`carbon: M L



~~6999.-~~
5200.-



CUBE ACID 240 HYBRID

CUBE HYBRID ROOKIE PRO 400 AT

Schaltwerk: Shimano RD-M3100-SGS, 9-Speed

Bremsanlage: Shimano BR-MT200, Hydr. Disc Brake (180/160)

Federgabel: SR Suntour XCT JR, 80mm

Motor: Bosch Drive Unit Active Generation 3 (40Nm) Cruise (250Watt) Youth Edition (20km/h)

Akku: Bosch PowerPack 400

verfügbare Rahmengrößen: 24"



~~2049.-~~
1699.-



CUBE SLX 625

CUBE SUPREME HYBRID

Schaltwerk: Shimano Nexus SG-C6001-8D, 8-Speed, Centerlock, Nut

Bremsanlage: Shimano Deore BR-M6000, Hydr. Disc Brake (180/180)

Federgabel: RockShox Paragon Gold Air, 50mm, Lockout

Motor: Bosch Drive Unit Performance Generation 3 (65Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 625

verfügbare Rahmengröße in Polarsilver`n`black: 50 cm



~~3899.-~~
3299.-



CUBE ONE500

CUBE SUPREME HYBRID

Schaltwerk: Shimano RD-M3100-SGS, 9-Speed

Bremsanlage: Shimano BR-MT200, Hydr. Disc Brake (180/180)

Federgabel: SR Suntour NEX-E25, 50mm

Motor: Bosch Drive Unit Performance Generation 3 (75Nm) Cruise (250Watt), Smart System

Akku: Bosch PowerTube 500

verfügbare Rahmengröße in White`n`black: 46 cm



~~2799.-~~
2330.-



CUBE

CUBE

MTB



CUBE PHENIX

CUBE C:68X

Schaltwerk: Sram XX SL Eagle AXS™ Transmission, 12-Speed, Electronic Shifting System

Bremsanlage: Magura MT8 SL FM, Hydr. Disc Brake (160/180)

Federgabel: Fox 32 SC Float Factory Grip SL, 2-Position Remote, Tapered, 15x110mm, 100mm, Kashima Coated

Laufbandsatz: Newmen Phase 30 light/light VONOA Carbon, 24/24 Carbon Spokes, 15x110mm/12x148mm, Tubeless Ready

Gewicht: 8,5kg

verfügbare Rahmengröße in liquidlava`n`black: L M



~~6999.-~~
6299.-



CUBE PHENIX

CUBE C:62 ONE

Schaltwerk: Sram GX Eagle™, 12-Speed

Bremsanlage: Magura MT8 Pro PM, Hydr. Disc Brake (180/160)

Federgabel: RockShox SID Select, Tapered, 15x110mm, 100mm, OneLoc

Laufbandsatz: Newmen Evolution X.A.25, 28/28 Spokes, 15x110mm / 12x148mm, Tubeless Ready

Gewicht: 9,8kg

verfügbare Rahmengröße in carbon`n`black: L



~~2899.-~~
2600.-



CUBE ELITE

CUBE C:68X RACE

Schaltwerk: Sram XX1 Eagle™, 12-Speed

Bremsanlage: Magura MT8 Pro PM, Hydr. Disc Brake (180/160)

Federgabel: RockShox SID SL Ultimate, Tapered, 15x110mm, 100mm, OneLoc

Laufbandsatz: Newmen Evolution SL X.A.25, 28/28 Spokes, 15x110mm / 12x148mm, Tubeless Ready

Gewicht: 9,0kg

verfügbare Rahmengröße in liquidred`n`carbon: M



~~4999.-~~
4200.-



CUBE ELITE

CUBE REACTION C:62 RACE

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Shimano XT BR-M8100, Hydr. Disc Brake (180/160)

Federgabel: Fox 32 SC Float Performance, 2-Position Remote, Tapered, 15x110mm, 100mm

Laufbandsatz: Newmen Evolution X.A.25, 28/28 Spokes, 15x110mm / 12x148mm, Tubeless Ready

Gewicht: 10,3 kg

verfügbare Rahmengröße in fireorange´n´black: L XL



~~2199.-~~
1860.-



CUBE REACTION

CUBE REACTION C:62 PRO

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Shimano XT BR-M8100, Hydr. Disc Brake (180/160)

Federgabel: RockShox Judy Gold RL Air, 100mm, PopLoc, 15x110mm

Laufbandsatz: Answer Atac AM, 15x110mm/12x148mm, Tubeless-Ready

Gewicht: 11,2 kg

verfügbare Rahmengröße in prismagrey´n´blue´n´red: XL

verfügbare Rahmengröße in blackline: -

verfügbare Rahmengröße in white´n´blue´n´red: L XL XXL



~~1999.-~~
1700.-



CUBE REACTION

CUBE REACTION PRO

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Shimano XT BR-M8100, Hydr. Disc Brake, PM/FM (180/160)

Federgabel: RockShox Judy Silver TK Air, 100mm, PopLoc

Laufbandsatz: CUBE ZX20, 32H, Disc

Gewicht: 13,1 kg

verfügbare Rahmengröße in switchblue´n´black: L

verfügbare Rahmengröße in metalblack´n´black: L S

verfügbare Rahmengröße in grey´n´orange: S



~~1399.-~~
1100.-



CUBE ACID

Schaltwerk: Sram NX Eagle™, 12-Speed

Bremsanlage: Shimano BR-MT200/UR300, Hydr, Disc Brake, PM/FM (180/160)

Federgabel: RockShox Judy Silver TK AIR, 100mm, PopLoc

Lafradsatz: CUBE ZX20, 32H, Disc

Gewicht: 13,3 kg

verfügbare Rahmengröße in metalolive`n`black: S

verfügbare Rahmengröße in grey`n`aqua: L

verfügbare Rahmengröße in grey`n`pearlgrey: S XL L

verfügbare Rahmengröße in ginger`n`black: XL



CUBE ANALOG

Schaltwerk: Sram SX Eagle™, 12-Speed

Bremsanlage: Shimano BR-MT200/UR300, Hydr, Disc Brake, PM/FM (180/160)

Federgabel: RockShox Judy Silver TK Coil, 100mm, Lockout

Lafradsatz: CUBE ZX20, 32H, Disc

Gewicht: 13,9 kg

verfügbare Rahmengröße in flashlime`n`black: S M L

verfügbare Rahmengröße in flashgrey`n`red: L S



CUBE ATTENTION

SLX

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Shimano BR-MT200/UR300, Hydr, Disc Brake, PM/FM (180/160)

Federgabel: RockShox Judy Silver TK AIR, 100mm, PopLoc

Lafradsatz: CUBE ZX20, 32H, Disc

Gewicht: 13,4 kg

verfügbare Rahmengröße in silvergrey`n`lime: S L XL

verfügbare Rahmengröße in sea`n`orange: -





CUBE SL

CUBE ATTENTION

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Shimano BR-MT200/UR300, Hydr. Disc Brake, PM/FM (180/160)

Federgabel: RockShox Judy Silver TK AIR, 100mm, PopLoc

Laufbandsatz: CUBE ZX20, 32H, Disc

Gewicht: 13,6 kg

verfügbare Rahmengröße in reverseblue`n`black: XL



~~999.-~~
849.-



CUBE ONE22 HPC EX

CUBE STEREO

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Shimano XT BR-M8120/M8100, Hydr. Disc Brake (203/180)

Federgabel: Fox 34 Float Factory FIT GRIP2, Tapered, 15x110mm, 130mm, Kashima Coated

Dämpfer: Fox Float X Factory, 190x45mm, Adjustable LSC w/ 2-Pos.

Lever, Kashima Coated

Laufbandsatz: Newmen Evolution SL A.30, 28/28 Spokes, 15x110mm/12x148mm, Tubeless Ready

Gewicht: 13,3 kg

verfügbare Rahmengröße in carbon`n`black: S XL L M



~~3699.-~~
3329.-



CUBE ONE55 C:62 RACE

CUBE STEREO

Schaltwerk: Sram GX Eagle™, 12-Speed

Bremsanlage: Magura MT Thirty, Front 4-Piston/Rear 4-Piston, Hydr. Disc Brake (203/180)

Federgabel: RockShox Lyrik Select+, Tapered, 15x110mm, 160mm

Dämpfer: RockShox Super Deluxe Select+ DebonAir, 205x60mm, Rebound Adjust, Lockout

Laufbandsatz: Newmen Evolution SL A.30, 28/28 Spokes, 15x110mm/12x148mm, Tubeless Ready

Gewicht: 14,1 kg

verfügbare Rahmengröße in lightgrey`n`grey: S L XL M



~~3499.-~~
3149.-



CUBE STEREO ONE22 HPC TM

Schaltwerk: Sram GX Eagle™, 12-Speed

Bremsanlage: Shimano XT BR-M8120/M8100, Hydr. Disc Brake (203/180)

Federgabel: Fox 34 Float Rhythm, 2-Position Sweep-Adjust GRIP Damper, Tapered, 15x110mm, 130mm

Dämpfer: Fox Float DPS, 190x45mm, Open/Medium/Firm Mode

Laufnradatz: Fulcrum Red Metal 500, 28/28 Spokes, 15x110mm /

12x148mm, Tubeless Ready

Gewicht: 13,5kg

verfügbare Rahmengröße in flashgrey`n`olive: M M S



~~3199.-~~
2859.-



CUBE STEREO ONE22 PRO

Schaltwerk: Sram NX Eagle™, 12-Speed

Bremsanlage: Magura MT Thirty, Front/Rear 2-Piston, Hydr. Disc Brake (180/180)

Federgabel: RockShox Judy Silver TK Air, Tapered, 15x110mm, 130mm

Dämpfer: Manitou Radium Expert RL, 190x45mm, Rebound Adjust, Lockout

Laufnradatz: CUBE EX25, 32H, Disc

Gewicht: 14,9kg

verfügbare Rahmengröße in swampgrey`n`black: XS



~~1999.-~~
1749.-



CUBE AMS ONE11 C:68X PRO 29

Schaltwerk: Sram GX Eagle™, 12-Speed

Bremsanlage: Magura MT Thirty, Front/Rear 2-Piston, Hydr. Disc Brake (180/180)

Federgabel: RockShox Recon Gold RL Air, Tapered, 15x110mm, 120mm

Dämpfer: RockShox Deluxe Select+, 190x42.5mm

Laufnradatz: Fulcrum Red 77, 28/28 Spokes, 15x110mm/12x148mm, Tubeless Ready

Gewicht: 12,5kg

verfügbare Rahmengröße in liquidred`n`carbon: L



~~3999.-~~
3589.-



CUBE STEREO

CUBE 240 PRO

Schaltwerk: Sram GX, 11-Speed

Bremsanlage: Magura MT Thirty, Front 4-Piston / Rear 2-Piston, Hydr. Disc Brake (180/160)

Federgabel: Manitou Machete J-Unit Air, Tapered, 15x110mm, 120mm

Dämpfer: Manitou Radium Expert RL, 165x38mm, Rebound Adjust, Lockout

Laufnradatz: SUNringlé Düroc 30 J-Unit 24", 28/28 Spokes,

15x110mm/12x142mm, Tubeless Ready

Gewicht: 11,9kg

verfügbare Rahmengröße in grey`n`green: 24"



~~2199.-~~
1959.-



CUBE AMS

CUBE ZERO99 C68X RACE 29

Schaltwerk: Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Bremsanlage: Shimano XT BR-M8100, Hydr. Disc Brake (180/160)

Federgabel: Fox 32 SC Float Performance, 2-Position Remote, Tapered, 15x110mm, 100mm

Dämpfer: Fox Float DPS Performance Elite Remote, 190x40mm, 2-Position Remote

Laufnradatz: Newmen Evolution SL X.A.25, 28/28 Spokes,

15x110mm/12x148mm, Tubeless Ready

Gewicht: 10,7kg

verfügbare Rahmengröße in silver`n`black: M



~~4599.-~~
4139.-

Welches Bike passt zu meiner Körpergröße?



S	157 - 168 cm	15"	157 - 168 cm
M	168 - 180 cm	16"	157 - 168 cm
L	178 - 188 cm	17"	168 - 180 cm
		19"	178 - 188 cm
		21"	182 - 190 cm

Impressum

Herausgeber und Verantwortlich für Inhalte:
Radsport Krug, Obermieming 179,
6414 Mieming, Tel.: 05264 5858

Texte und Bilder:
Specialized, Cube, Buerostark, Radsport Krug

Layout und Gestaltung:
Werbeagentur Buerostark – Visuell wirken!